



6947621

C/E

Docket No.: 070602-0154

**PATENT****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

|                             |   |                           |
|-----------------------------|---|---------------------------|
| In re Application of        | : | Customer Number: 31824    |
| Raymond M. Bell Jr., et al. | : | Confirmation Number: 7461 |
| Application No.: 10/051,122 | : | Group Art Unit: 2874      |
| Filed: January 22, 2002     | : | Examiner: Akm E. Ullah    |
| For: ROBUST HETERODYNE      | : |                           |
| INTERFEROMETER OPTICAL      | : |                           |
| GAUGE                       | : |                           |

Attn: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**  
**DEC 07 2005**  
**of Correction**

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322**

Sir:

In reviewing the above-identified patent, printing errors were discovered therein requiring correction in order to conform the Official Record in the application.

The errors noted are set forth on the two attached copies of form PTO-1050 Rev. 2-93 in the manner required by the Commissioner's Notice.

The changes requested herein occurred as a result of printing the Letters Patent and the Certificate should be issued without expense under Rule 322 of the Rules of Practice. Accordingly, Applicants request issuance of the Certificate of Correction.

DEC 7 2005

10/051,122

Please charge any shortage in fees due in connection with the filing of this paper to Deposit Account 502203 and please credit any excess fees to such deposit account.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP



Mark J. Itri  
Registration No. 36,171

18191 Von Karman Ave., Suite 400  
Irvine, CA 92612-7107  
Phone: 949.851.0633 MJJ:dmf  
Facsimile: 949.851.9348  
**Date: December 2, 2005**

**Please recognize our Customer No. 31824  
as our correspondence address.**

ORC 377812-1.070602.0154

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,947,621  
DATED : September 20, 2005  
INVENTOR(S) : Raymond M. Bell Jr., et al.

It is certified that error appears in the above-identified patent and that said Letter Patent is hereby corrected as shown below:

COVER PAGE

Under (56) References Cited, U.S. Patent Documents, "6,559,928" should read --6,559,926--.

COLUMN 13

Line 18, "balance" should read --balanced--; and

Line 29, "couple" should read --coupled--.

MAILING ADDRESS OF SENDER:  
Mark J. Itri  
MCDERMOTT WILL & EMERY LLP  
18191 Von Karman, Suite 500  
Irvine, CA 92612

PATENT NO. 6,947,621

No. of add'l copies  
@ 50¢ per page

}

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,947,621

DATED : September 20, 2005

INVENTOR(S) : Raymond M. Bell Jr., et al.

It is certified that error appears in the above-identified patent and that said Letter Patent is hereby corrected as shown below:

COVER PAGE

Under (56) References Cited, U.S. Patent Documents, "6,559,928" should read --6,559,926--.

COLUMN 13

Line 18, "balance" should read --balanced--; and

Line 29, "couple" should read --coupled--.

MAILING ADDRESS OF SENDER:  
Mark J. Itri  
MCDERMOTT WILL & EMERY LLP  
18191 Von Karman, Suite 500  
Irvine, CA 92612

PATENT NO. 6,947,621

No. of add'l copies  
@ 50¢ per page

}